



DELTA ELEVEN OY ASSEMBLY GUIDE



JULIET PLATE CARRIER ASSEMBLY




PARTS INCLUDED



ATTACHING SHOULDER STRAPS

Attaching shoulder straps

1. Attach the front and rear panels shoulder strap velcro
2. Pull the quick release cord through the hole on the front panels shoulder strap. If necessary fold the unused velcro underneath the shoulder strap



ATTACHING THE SHOULDER PADS

1. Wrap the shoulder pads around the shoulder strap

NOTE: make sure the cable management loops are on the outside of the shoulder strap



ATTACHING THE CUMMERBUNDS

1. Thread the cummerbunds through the hypalon flap and through the molle loops on the rear panel
2. User the included bungee cords to secure the cummerbunds to the rear panel
3. Adjust the lenght and tightness of the bungee cord according to your liking

NOTE: the looser the bungee, the more flex is introduced to the cummerbunds



4

ATTACHING THE PLACARD CLIPS

1. Retrieve the webbing loop hidden in the top corner of the front panel
2. Loop the clip trough the webbing loop (this is finicky, but doable)
3. Thread the clip through the protective molle loop

NOTE: This clip is only needed for third party placards, and this install is optional



ASSEMBLY COMPLETE.



ALL DONE. STAY FROSTY.

